

Essay on Oscillatory Cosmological Hierarchies and the Inherited Sensitivity of Structures

Document version: 2.0

Author: Martin Kafara

ORCID: 0009-0001-0941-650X

Preprint DOI:

<https://doi.org/10.5281/zenodo.21526151>

Preface to the Second Edition

The ideas developed in this essay have been taking shape for more than two decades. The first edition was published as a preprint intended to record their initial systematic formulation. The present second edition offers a more settled articulation, informed by a subsequent review of the literature, a clearer distinction between the original hypothesis and related earlier concepts, and a broader set of references to neighboring cosmological frameworks and physical analogies.

Some of the individual motifs considered in this essay — such as cyclic cosmology, nested rhythms, vacuum-bubble formation, cosmological memory, resonance, and history-dependent cycles — are not presented as new in themselves. The proposed contribution lies not in introducing these motifs individually, but in their specific conjunction. The essay considers a hierarchy of cosmological oscillatory orders with unequal temporal scales, in which a lower-order structure may collapse and re-emerge while the higher-order dynamical background continues through a different phase of its own cycle. Consequently, successive lower-order cycles need not arise under identical conditions.

The distinctive hypothesis is that what may be carried across such a transition is not necessarily a completed structure, a fixed set of parameters, or recoverable information about a preceding cycle. Rather, the emerging structure may inherit a dynamically conditioned predisposition to respond: a sensitivity profile shaped by the phase, rhythm, fluctuation spectrum, noise background, accumulated history, and coupling conditions of the broader order within which it arises. This is referred to here as *inherited sensitivity*.

To the author's knowledge, the specific combination of staggered collapse and renewal across cosmological levels, renewal proceeding from a fluctuation-dominated residue rather than from a preserved structure, continuing higher-order dynamics, non-identical successive lower-order cycles, reciprocal cross-level influence, and inherited sensitivity understood as a predisposition rather than transmitted content has not been identified as a unified conceptual framework in the literature reviewed. This is presented as a claim of conceptual distinctiveness, not as a claim that its individual components or physical analogies are themselves unprecedented.

1. A Dynamic Universe as the Point of Departure

Modern cosmology understands the universe as a dynamic environment in which structures arise, evolve, and disappear. Already at this level, the cosmic framework is treated not as a motionless background, but as a space of ongoing transformation, fluctuation, and structuring. This essay proceeds from this general dynamical picture and introduces a single speculative possibility: that the universe might be regarded as an oscillatory structure rather than solely as a one-time, isolated event.

This reflection is inspired by the Principle of Dynamical Sensitivity, one of whose central ideas is that structures emerging within a dynamic environment may retain a predisposition to respond to that environment precisely by virtue of having arisen within it [1]. The present essay does not attempt to restate or defend that principle in formal terms. It follows only one of its most suggestive implications and takes it as the point of departure for a broader cosmological reflection.

2. The Initial Speculative Possibility

The present essay does not begin by claiming that the universe oscillates in any established physical sense. Its starting point is more limited: if modern cosmology already treats the universe as a dynamic environment of emergence, fluctuation, and structural transformation, then it becomes philosophically legitimate to ask whether such a universe might also be interpreted within an oscillatory framework.

This possibility is speculative, but not arbitrary. It arises from the intuition that where there is structured dynamical becoming, there may also be rhythm, recurrence, buildup, destabilization, and renewal. The essay therefore proceeds not from a completed cosmological theory, but from the possibility that an oscillatory interpretation may clarify questions of origin, temporality, and the inherited sensitivity of structures.

3. The Core Question

The central question of this essay is whether our universe might be understood as one oscillatory structure embedded within a wider oscillatory hierarchy. If so, then cosmic origin, collapse, and renewal might no longer appear as isolated absolutes, but as stages within a broader dynamical order.

This question immediately opens several further ones: whether such a hierarchy could imply different temporal levels, whether successive cycles at a given level might differ from one another, and whether a newly emerging universe might bear traces of the dynamical condition from which it arose. The essay follows these questions not in order to close them, but in order to determine whether they can be thought coherently at all.

4. Higher Oscillatory Orders

If the universe may be regarded as an oscillatory structure, then one further speculative step becomes possible: that such a structure might itself be embedded within a higher oscillatory order. In that case, the universe would no longer appear as the ultimate dynamical whole, but as one level within a wider hierarchy of oscillatory organization.

This possibility does not by itself establish a multiverse theory, nor does it require a defined physical medium between universes. At the level of this essay, it serves only as a philosophical extension of the initial possibility: if oscillatory structuring may occur within a universe, one may ask whether the universe itself could stand in a similar relation to a higher dynamical order.

In such a picture, the relation between levels would not have to remain one-directional. A lower structure might feed back into the higher order within which it is embedded, while the higher order might act upon the lower one through harmonically related modes or modulations capable of producing an amplified response [2]. This reciprocal influence is introduced here only as a philosophical heuristic, yet it helps to explain why buildup may culminate either in destabilization and collapse, or, under different conditions, in the emergence of a new structural regime.

5. Collapse, Overexcitation, and Renewal

If oscillatory structures on different levels can influence one another, then buildup need not remain indefinitely stable. Under some conditions, reciprocal feedback, harmonic reinforcement, or amplitude growth may push a given structure beyond its capacity to maintain its current regime. In such a case, collapse need not be understood only as termination, but as a transition through which accumulated dynamical organization may be disrupted or redistributed, leaving behind not an intact structure but a fluctuation-dominated residue.

Within the present essay, such overexcitation is not proposed as a demonstrated cosmological mechanism. It serves rather as a heuristic possibility: a universe may, at least in thought, be considered vulnerable to destabilization if the relation between its own oscillatory regime and that of a higher order becomes sufficiently strained, reinforced, or historically conditioned. Collapse would then appear not as the negation of structure, but as one possible condition of renewal.

Collapse and renewal may unfold not against an empty background, but within the ongoing dynamical activity of a higher oscillatory order. This matters because the dynamical background of that higher order — including its fluctuations, noise, and current phase — could contribute to the conditions under which a new cycle begins. Without specifying any physical medium in a strict sense, one may still ask whether such background activity leaves traces in the structure of what re-emerges. In our own universe, cosmic microwave background anisotropies and the baryon acoustic scale provide measurable records of early-universe dynamics [10, 11]. The essay does not interpret them as evidence of a higher cosmological order. Their relevance here is narrower: they show that observable structures

can preserve records of earlier dynamics, leaving open the philosophical question of whether traces of a broader context could also survive.

In this perspective, renewal would not necessarily mean simple repetition. A renewed cycle could begin under altered conditions, carrying forward the consequences of the preceding buildup, collapse, and fluctuation. This is why the present essay treats collapse and renewal together: not as opposites, but as two moments within a broader oscillatory possibility.




Figure 1.

Conceptual schematic of build, overexcitation, collapse, and fluctuation-dominated residue within a nested oscillatory setting. The diagram is included only as a heuristic aid and is not proposed as a physical cosmological model.

6. One Possible Sequence from Residue to Renewal

In one possible sequence considered within this speculative framework, collapse does not leave an intact lower-order structure waiting to be restarted, but a fluctuation-dominated residue. The continuing oscillatory dynamics of the higher order may act upon this residue and, together with self-organization within it, contribute to the formation and initial excitation

of a new lower-order structure. Because the residual state and the prevailing phase and dynamical condition of the higher order need not recur in the same configuration, successive renewals need not begin under identical conditions.

If the developing structure reaches a critical condition of coupling or excitation, a resonant or threshold-like transition may produce an abrupt increase in amplitude and organization, marking the onset of a new dynamical regime. The renewed structure would then possess its own time-zero, while the higher order continues through its own unfinished cycle. Inflation enters this essay only as a possible cosmological analogy for such a large-scale transition; the analogy and its limits are discussed in Section 7.

Two remarks delimit this sequence. First, the term *renewal* is used here in preference to *restart*: what re-emerges is not the previous structure resumed, but a new structure formed from the residue, under conditions that carry a transformed trace of what preceded it. Second, the sequence is offered as one coherent possibility within the framework, not as the necessary course of every cycle.

7. Inflation as a Possible Threshold Transition

The sequence outlined in Section 6 may be compared, cautiously and only in part, with an unresolved question in early-universe cosmology: how an inflationary regime might begin.

Inflation occupies a distinct position within modern cosmology. It was introduced as a possible dynamical solution to the horizon and flatness problems and is broadly compatible with the observed near-flatness and the approximately scale-invariant spectrum of primordial perturbations. Nevertheless, the microscopic mechanism underlying inflation has not been uniquely identified: the identity of the relevant field, the structure of its potential, and the precise conditions initiating the inflationary regime remain open questions [7–10].

Section 6 described the onset of a new regime as a resonant or threshold-like amplification arising from coupling between the emerging lower-order structure and the continuing dynamics of a higher order. If that description is compared with the beginning of inflation, one qualification is essential: inflation would not be simply an increase in ordinary oscillatory amplitude. The amplification could act, at most, as a trigger through which the emerging cosmological structure enters a new effective regime whose spacetime dynamics are characterized by accelerated expansion.

Certain established inflationary constructions provide partial analogies for this possibility. In locked-inflation scenarios, the oscillation of one field can temporarily confine another field in a false minimum, allowing vacuum energy to drive accelerated expansion [15]. Other models show that accelerated expansion can coexist with rapid field oscillations under particular potentials [16], while parametric resonance can induce non-thermal phase transitions [17] and, under restricted conditions, a secondary inflationary stage. In bouncing braneworld models, past-eternal oscillatory universes have been constructed that pass into an inflationary phase when nonlinear resonance drives the system into a resonance window [22]. These mechanisms do not establish the higher oscillatory hierarchy proposed here, but they show

that oscillation, critical amplitude, field coupling, phase transition, and inflation are not mutually incompatible dynamical concepts.

The bubble picture provides a second, distinct analogy. In Coleman–De Luccia vacuum decay, a new domain may nucleate locally within a broader metastable background [12]. From within such a domain, the transition may constitute the beginning of a new cosmological history, even though it is embedded in a wider dynamical setting. Hawking–Moss transitions and open-inflation constructions provide related but physically distinct counterparts [13, 14]. The present essay does not claim that our universe is an observed vacuum bubble, nor that a higher oscillatory order corresponds to a false vacuum. It notes only that local cosmological beginnings within a broader setting have physically formulated counterparts in existing cosmology.

Separately, fluctuations may be generated or selectively amplified by resonance during an oscillatory transition associated with the onset of inflation [23]. Subsequent inflation could then stretch their wavelengths and correlations to cosmological scales [7–10]. In this restricted sense, structures associated with the transition might become distributed throughout the observable universe — not as completed objects mechanically carried outward, but as a transformed statistical or spectral conditioning of later structure formation. Existing observational searches have not produced compelling evidence for such a resonant precursor or a bubble-collision imprint, and the possibility therefore remains heuristic rather than evidential [9, 18].

8. Time and Timescales on Different Structural Levels

If oscillatory organization can be thought across more than one structural level, then time itself need not appear uniform throughout the hierarchy. At the level of this essay, one may ask whether every oscillatory order carries not only its own regime of buildup and collapse, but also its own rhythm, duration, and apparent cycle length. Time would then not be abolished, but structurally differentiated.

In such a picture, a lower oscillatory structure might complete more than one cycle while the higher order within which it is embedded has not yet completed even one. What appears as repetition on one level may therefore remain only a partial phase within a slower process on another.




Figure 2.

Conceptual schematic of nested oscillatory levels with staggered collapse and renewal. The diagram illustrates how different structural levels may carry different temporal rhythms, such that a lower structure may complete multiple cycles while a higher order remains within a slower ongoing phase. The diagram is included only as a heuristic aid and is not proposed as a physical cosmological model.

Such a view also helps explain why collapse and renewal need not occur simultaneously across levels. A lower structure may re-emerge under conditions that still belong to an unfinished cycle of a higher order. The renewed cycle would therefore not necessarily begin from a neutral zero-point, but from within an already ongoing dynamical history.

This does not require time to be broken or restarted in an absolute sense. Time may remain continuous while still being differently organized across structural levels. In that case, the renewed beginning of a lower structure may legitimately appear as a new time-zero within its own cycle, even though it unfolds within the still ongoing temporality of a higher order.

This is why the present essay treats temporality not as a single homogeneous rhythm, but as a hierarchy of related yet unequal dynamical timescales.

9. Staggered Collapse Across Levels

The present essay does not assume a fully harmonized or globally synchronous collapse across all oscillatory levels. On the contrary, it proceeds from the possibility that collapse, destabilization, and renewal may remain staggered, such that lower structures re-emerge while higher orders continue within their own unfinished phases.

This asymmetry is important because it preserves the hierarchical character of the framework. It allows lower levels to undergo repeated beginnings under changing higher-order conditions, rather than reducing the entire structure to a single uniform rhythm of destruction and renewal.

At the same time, the essay does not exclude the possibility of more strongly synchronized or cascading events under exceptional circumstances. It merely postpones that question. Here, the emphasis remains on non-simultaneous collapse as the working assumption adopted for the present nested oscillatory hierarchy.

10. Non-identical Cycles

If oscillatory organization unfolds across multiple structural levels, a renewed cycle need not be identical to its predecessor. A cycle may re-emerge under altered conditions, because the higher order within which it is embedded may itself occupy a different phase, amplitude regime, or fluctuation state than before.

This means that recurrence need not imply repetition in any strict sense. What returns may do so with an altered temporal course, a modified harmonic profile, or a different degree of stability. The renewed structure would therefore not simply repeat what already was, but begin again under historically conditioned circumstances. The expectation that successive cycles differ is not new in itself: Tolman's classical analysis of periodic universes already argued, on relativistic-thermodynamic grounds, that entropy carried from one cycle to the next would keep successive cycles from being mere repetitions of one another [19]. A modern counterpart of the same expectation appears in cyclic models with cosmological hysteresis, where the asymmetry between expansion and contraction can make the universe progressively larger and older with each consecutive cycle, even in the absence of entropy production [24].

In this perspective, the lifespan of a universe arising in any given cycle would not have to be fixed in advance or remain uniform across successive cycles. Its duration, rhythm, and vulnerability to destabilization could depend on the current state of the higher oscillatory order within which it arises. A new beginning would thus remain a beginning, yet not an abstractly neutral one.

11. The Inherited Sensitivity of Structures in a Cosmological Setting

If renewed cycles are not strictly identical, then the question arises whether newly emerging structures may carry more than mere formal continuity. The present essay therefore asks whether a universe that re-emerges within an ongoing oscillatory hierarchy might retain a

sensitivity shaped not only by its own local beginning, but also by the broader dynamical condition from which it arises.

In this speculative sense, inherited sensitivity would not mean the transmission of fixed content or of a complete prior structure. It would mean, rather, that emergence may already be conditioned by a surrounding dynamical order — by its rhythm, phase, fluctuation regime, noise background, and degree of accumulated strain. What is inherited would therefore not be a finished form, but a dynamically conditioned sensitivity profile carried into the new beginning.

Within the sequence considered in Section 6, such conditioning would operate through two distinguishable channels. The first is the residual state itself: a fluctuation-dominated residue is not featureless, and its statistical or spectral character may carry a transformed trace of the preceding buildup and collapse. The second is the current phase and dynamical condition of the higher order within which the new structure forms. Because these two channels need not vary together, they provide distinct sources of variation between successive cycles and clarify why those cycles need not be identical.

Such a possibility would help explain why a renewed universe need not begin from an abstract zero-state. Its initial sensitivity, stability, and subsequent development could already be asymmetrically conditioned by the higher oscillatory context within which it re-emerges. The present essay does not claim this as cosmological fact. It asks only whether such inherited sensitivity may be thought coherently once oscillatory hierarchies and structurally differentiated temporality are admitted as philosophical possibilities.

12. The Role of the Diagrams

The diagrams included in this essay are not intended as derived cosmological models. Their function is more limited and more explicit: they serve as conceptual aids for thinking about buildup, collapse, renewal, unequal temporal levels, and non-identical cycles within a nested oscillatory hierarchy.

Their role is therefore heuristic rather than demonstrative. They do not prove that the universe is oscillatory, nor do they establish the existence of higher cosmological orders. They translate the verbal argument into visual form without adding evidential weight.

13. Scope and Legitimacy of the Essay

The present essay does not propose a multiverse theory, establish a physical medium between universes, derive a new cosmology from quantum mechanics or string theory, or claim to prove cyclic cosmology. It does not interpret observable structures such as the cosmic microwave background or baryon acoustic oscillations as evidence of a higher cosmological order. Nor does it claim that the resonance-based and vacuum-bubble analogies discussed in Section 7 demonstrate that inflation was initiated by coupling to such an order. These

analogies are introduced only to show that some components of the proposed speculative sequence have physically formulated counterparts in existing cosmology.

The essay likewise does not assume that collapse must be globally synchronized, that all structural levels are equally coupled, or that inherited sensitivity amounts to the transmission of fixed content from one cycle to another. Its claim is more limited and deliberate: it asks whether oscillatory hierarchies, structurally differentiated temporality, staggered collapse and renewal, non-identical cycles, reciprocal cross-level influence, and the inherited sensitivity of structures may be thought coherently as a philosophical possibility.

In this respect, the essay stands near several cosmological frameworks that also question the image of a single metaphysically isolated beginning. These include Penrose's conformal cyclic cosmology [3, 21], the cyclic model developed by Steinhardt and Turok [4], and ekpyrotic or bouncing approaches in which the hot Big Bang is preceded by an earlier dynamical phase [5, 6]. Related frameworks also include Smolin's cosmological natural selection, in which parameters are inherited with variation across universes generated through black-hole bounces [20], and eternal inflation, in which new cosmological domains nucleate within a continuing background. In eternal-inflation scenarios, new domains may inherit conditions from the surrounding spacetime and retain traces of bubble collisions [25, 26].

The present proposal does not identify with any of these models. Its distinctive emphasis lies instead on nested oscillatory orders with unequal temporal scales, non-identical cycles, staggered collapse and renewal across levels, reciprocal cross-level influence, and inherited sensitivity understood as a predisposition rather than the transmission of fixed prior content. In particular, the inheritance considered here differs from cosmological natural selection in both mechanism and content: it does not proceed through the reproduction and selection of parameter values, but through the dynamical conditioning of a sensitivity profile by the residual state and by the continuing dynamics of the higher order.

The proposal also differs from eternal inflation. Here, the continuing background is itself oscillatory, with a phase and history of its own, and cross-level influence is reciprocal rather than one-directional. What is carried into the new domain is a conditioned predisposition to respond, rather than a selected vacuum state, transmitted initial conditions, or a collision imprint.

The value of the essay lies neither in replacing standard cosmology nor in presenting its framework as an established mechanism. It lies in posing a specific question about cosmological origin, recurrence, dynamical inheritance, and possible relations between structural levels. The framework remains open to rejection, refinement, and future mathematical or physical formulation.

14. Beyond a Single Beginning

If oscillatory hierarchies, structurally differentiated timescales, and inherited sensitivity are admitted even as philosophical possibilities, then it becomes useful to distinguish between a beginning that is genuine for a particular cosmological structure and one that is metaphysically absolute. Within the framework proposed here, the Big Bang may remain the

genuine beginning of the observable history of our universe without necessarily being interpreted as an event isolated from every broader dynamical context.

This distinction does not diminish the explanatory role of standard cosmology within our universe, nor does it assert that a prior or higher-order process existed. It states only that the temporal origin of a lower-order structure need not coincide with the origin of the wider order within which that structure is hypothesized to emerge. A new cosmological cycle could therefore possess its own time-zero while arising during an unfinished phase of a slower, continuing process.

A limited physical analogy can be found in the vacuum-decay and open-inflation models discussed in Section 7. In Coleman–De Luccia bubble nucleation, the interior of a new domain is described as an open universe with its own cosmic time, while the surrounding background continues to evolve [12]. Hawking–Turok open inflation provides a related construction that dispenses with the false-vacuum background [14]. The present essay does not identify our universe with either model; it notes only that a local cosmological time-zero within a wider, continuing dynamical process has physically formulated counterparts.

Inherited sensitivity gives this possibility its specific meaning within the present essay. Any influence of the broader context would not need to survive as a complete prior structure or as directly recoverable content. It could instead shape the emerging structure's response profile, stability, thresholds, or later development. In this limited sense, a genuine beginning for a particular cosmological structure and a metaphysically absolute beginning are not treated as equivalent concepts.

15. Open Reflective Questions

If nested oscillatory hierarchies are taken seriously as a philosophical possibility, then several further questions arise. What would occur if oscillatory modes across structural levels became temporarily synchronized or frequency-locked [2]? Could such an event merely intensify coupling, or might it drive a more radical transition in the hierarchy itself?

A further question concerns destabilization. What if fluctuation-driven destabilization, collapse, or overexcitation did not remain confined to one level, but propagated hierarchically across several levels at once? Would such a cascade remain a local event seen from a still higher order, or would it alter the structure of the hierarchy more deeply?

A third question concerns the spectral character of renewal itself. How would the frequency spectrum of a new cycle appear if even the noise background carried traces of more than one hierarchical level — and could any such inherited spectral conditioning remain, even in highly transformed form, within observable relic structures?

Such questions are left unanswered here. Their function is not to complete the argument, but to indicate where mathematical and physical modeling might begin if this speculative framework is to be examined more rigorously.

16. References

- [1] Kafara, M. (2026). The Principle of Dynamical Sensitivity of Structures within a Shared Physical Environment. Zenodo. DOI: <https://doi.org/10.5281/zenodo.18895255>
- [2] Pikovsky, A., Rosenblum, M., & Kurths, J. (2001). Synchronization: A Universal Concept in Nonlinear Sciences. Cambridge University Press. DOI: <https://doi.org/10.1017/CBO9780511755743>
- [3] Penrose, R. (2010). *Cycles of Time: An Extraordinary New View of the Universe*. The Bodley Head. ISBN 978-0-224-08036-1
- [4] Steinhardt, P. J., & Turok, N. (2002). Cosmic evolution in a cyclic universe. *Physical Review D*, 65, 126003. DOI: <https://doi.org/10.1103/PhysRevD.65.126003>
- [5] Lehnert, J.-L. (2008). Ekpyrotic and cyclic cosmology. *Physics Reports*, 465, 223–263. DOI: <https://doi.org/10.1016/j.physrep.2008.06.001>
- [6] Battefeld, D., & Peter, P. (2015). A critical review of classical bouncing cosmologies. *Physics Reports*, 571, 1–66. DOI: <https://doi.org/10.1016/j.physrep.2014.12.004>
- [7] Guth, A. H. (1981). Inflationary universe: A possible solution to the horizon and flatness problems. *Physical Review D*, 23, 347–356. DOI: <https://doi.org/10.1103/PhysRevD.23.347>
- [8] Linde, A. D. (1982). A new inflationary universe scenario: A possible solution of the horizon, flatness, homogeneity, isotropy and primordial monopole problems. *Physics Letters B*, 108, 389–393. DOI: [https://doi.org/10.1016/0370-2693\(82\)91219-9](https://doi.org/10.1016/0370-2693(82)91219-9)
- [9] Planck Collaboration. (2020). Planck 2018 results. X. Constraints on inflation. *Astronomy & Astrophysics*, 641, A10. DOI: <https://doi.org/10.1051/0004-6361/201833887>
- [10] Planck Collaboration. (2020). Planck 2018 results. VI. Cosmological parameters. *Astronomy & Astrophysics*, 641, A6. DOI: <https://doi.org/10.1051/0004-6361/201833910>
- [11] Eisenstein, D. J., et al. (2005). Detection of the baryon acoustic peak in the large-scale correlation function of SDSS luminous red galaxies. *The Astrophysical Journal*, 633, 560–574. DOI: <https://doi.org/10.1086/466512>
- [12] Coleman, S., & De Luccia, F. (1980). Gravitational effects on and of vacuum decay. *Physical Review D*, 21, 3305–3315. DOI: <https://doi.org/10.1103/PhysRevD.21.3305>
- [13] Hawking, S. W., & Moss, I. G. (1982). Supercooled phase transitions in the very early universe. *Physics Letters B*, 110, 35–38. DOI: [https://doi.org/10.1016/0370-2693\(82\)90946-7](https://doi.org/10.1016/0370-2693(82)90946-7)
- [14] Hawking, S. W., & Turok, N. (1998). Open inflation without false vacua. *Physics Letters B*, 425, 25–32. DOI: [https://doi.org/10.1016/S0370-2693\(98\)00234-2](https://doi.org/10.1016/S0370-2693(98)00234-2)
- [15] Dvali, G., & Kachru, S. (2003). *New Old Inflation*. DOI: <https://doi.org/10.48550/arXiv.hep-th/0309095>
- [16] Damour, T., & Mukhanov, V. F. (1998). Inflation without slow roll. *Physical Review Letters*, 80, 3440–3443. DOI: <https://doi.org/10.1103/PhysRevLett.80.3440>

- [17] Kofman, L., Linde, A., & Starobinsky, A. A. (1996). Nonthermal phase transitions after inflation. *Physical Review Letters*, 76, 1011–1014. DOI: <https://doi.org/10.1103/PhysRevLett.76.1011>
- [18] Feeney, S. M., Johnson, M. C., Mortlock, D. J., & Peiris, H. V. (2011). First observational tests of eternal inflation. *Physical Review Letters*, 107, 071301. DOI: <https://doi.org/10.1103/PhysRevLett.107.071301>
- [19] Tolman, R. C. (1931). On the theoretical requirements for a periodic behaviour of the universe. *Physical Review*, 38, 1758–1771. DOI: <https://doi.org/10.1103/PhysRev.38.1758>
- [20] Smolin, L. (1992). Did the universe evolve? *Classical and Quantum Gravity*, 9, 173–191. DOI: <https://doi.org/10.1088/0264-9381/9/1/016>
- [21] Penrose, R. (2014). On the gravitization of quantum mechanics 2: Conformal cyclic cosmology. *Foundations of Physics*, 44, 873–890. DOI: <https://doi.org/10.1007/s10701-013-9763-z>
- [22] Maier, R., Soares, I. D., & Tonini, E. V. (2009). Bouncing braneworld cosmologies and initial conditions to inflation. *Physical Review D*, 79, 023522. DOI: <https://doi.org/10.1103/PhysRevD.79.023522>
- [23] de Oliveira, H. P., & Soares, I. D. (1998). Chaos and a resonance mechanism for structure formation in inflationary models. *Modern Physics Letters A*, 13, 1881–1886. DOI: <https://doi.org/10.1142/S0217732398001972>
- [24] Sahni, V., & Toporensky, A. (2012). Cosmological hysteresis and the cyclic universe. *Physical Review D*, 85, 123542. DOI: <https://doi.org/10.1103/PhysRevD.85.123542>
- [25] Garriga, J., Guth, A. H., & Vilenkin, A. (2007). Eternal inflation, bubble collisions, and the persistence of memory. *Physical Review D*, 76, 123512. DOI: <https://doi.org/10.1103/PhysRevD.76.123512>
- [26] McInnes, B. (2008). Initial conditions for bubble universes. *Physical Review D*, 77, 123530. DOI: <https://doi.org/10.1103/PhysRevD.77.123530>